

风险

0-8-1000-3-200

广州三孚新材料科技股份有限公司 突发环境事件风险评估报告

（盖章）


（盖章）

发

有限公司
科技股份有限公司
科技股份有限公司
年 11 月

广州三孚
突发环境事件

	姓名
	杨晓波
	官金
	蒋庚庚
	蔡耀宏
	蔡桔峰
	曾庆相
	李爱清



姓名	
杨晓波	
官金	
蒋庚庚	
蔡耀宏	
蔡桔峰	
曾庆相	
李爱清	

1

1

2

3

2

2.1

2.2

2.2.1

2.2.2

2.3

2.4



3

3.1

3.1.1

--	--	--

2.


3.

3.1.3

3.2

3.2.1

3.2.2



	/		2	0.165			165	
	88	7664-39-3	9	1			25	
35%	182	7664-38-2	200	3			35	
50%	183	7664-93-9	800	10			20	
31%	145	7647-01-0	8	2			2.95	
98%	183	7664-93-9	60	2			4.6	
50%	/	7722-84-1	80	4.8			30	
	/	7631-99-4	12	1			25	
	/	/	8	1			25	
68%	146	7697-37-2	50	5			30	
	/	/	8	2			25	
	/	/	8	2			25	
	/	/	4470	400			50	
	/	/	3000	300			25	
96%	/	/	450	45			25	
99%	/	/	500	40			25	
	/	/	800	80			14	
	/	/	1100	100			50	
	/	/	2312.2	180			50	
NP-10(TX-10)	/	/	224	15			200	
	/	/	130	10			20	
	/	/	108	10			25	

	/	/	1000	100			25	
	/	/	626	20			25	
	/	/	50	5			25	
	/	/	50	5			50	
TO-8	/	/	80	8			190	
AEO-9	/	/	84	8			200	
	/	/	250	7			250	
6501	/	/	250	7			200	
	/	/	250	5			180	
EDTA	/	/	200	4			25	
HEDP	/	/	260	3			25	
	/	/	250	3			20	
	/	/	150	3			200	
6503	/	/	100	2.5			200	
PPSOH	/	/	184	2.5			25	
	/	/	120	2.5			20	
K15	/	/	64	2			25	
8906	/	/	40	1.8			25	
	/	/	40	2			50	
	/	/	60	5			25	
	/	/	80	4			30	

	/	/	32	3			20	
	/	/	28	3			160	
	/	/	250	5			25	
	/	/	56	2			25	
	/	/	56	2			25	
	/	/	120	3				

	/	/	100	8			180	
	/	/	45	5			250	
	/	/	162	10			25	
	/	/	52	5			25	
	/	/	450	30			25	
	/	/	300	5			25	
	/	/	56	5			150	
AEO-9	/	/	61	4			200	
	/	/	12316	/		/	5000	

2.

3.


					—		—
					—		—
					—		—
					—		—
					—		—
					—		—
					—		—
					—		—
					—		—

3.4


3.4.1

3.4.1.1


1.




3.




4.



5.



6.



3.4.1.2

“ ”

3.4.3

			0.0450
			0.6570
			0.2187
			0.0486
			0.0002
			0.0005
			0.0023
			0.0043

3.5

3.5.1

3.5.2

3.5.3

					$\frac{q_i}{Q_i}$	$\sum_{i=1}^n \frac{q_i}{Q_i}$

3.6

3.6.1

3.6.1.1

3.6.1.3

3.6.2

$\hat{W} \pm$

3.

3.6.3

[illegible]

4

4.1

4.1.1

4.1.1.1

1.

2.

3.

4.1.1.2

1.

2.

3.

4.1.2

--	--	--

4.2

4.2.1

4.2.1.1

4.2.1.2

4.2.2

#è 7(ÿ Ĩ GH "ú%Eah\”°4 `”N ‘<± •2,, .¿ ñ " Q • ìB%oô5âË¢ •€f^...À

	E,F	81290	0.02	298.15	1.5	1.0	15	0.0047	4.2

								0.0047

4.2.2.2

1.


$$\frac{\left[\frac{g(Q/\rho_{\text{rel}})}{\rho_a} \times (\rho_{\text{rel}} - \rho_a)\right]^{\frac{1}{3}}}{R_F} = \frac{D_{\text{tc}}}{U_t}$$


$$\frac{g(Q/\rho_{\text{rel}})^{\frac{1}{3}}}{h_{\text{rel}}} = \frac{\rho_{\text{rel}} - \rho_a}{K_F} = \frac{D_{\text{tc}}}{U_t}$$

	1.1854	0.0047	2.0	1.5	1.8305	0.3244		

2.

3.





	μ					

4.2.3

4.2.4

1.

2.

					0.0020
					0.4074
					2.8759
					0.000003
					0.2467
					2.6667
				0.106	0.002
				0.256	0.006
				0.106	0.003
				0.256	0.008

4.2.5

4.2.6

2.

4.3.2

4.4

5

5.1

5.1.1

5.1.2

5.1.3

1.

2.

3.

7.1

$$Q = \frac{w_1}{W_1} + \frac{w_2}{W_2} + \dots + \frac{w_n}{W_n}$$

7.2

7.3

7.4

8

8.1


8.2

--	--	--	--	--	--

8.3

8.4


10.1




10.2



10.3



10.4



The site plan illustrates the layout of Guangzhou Yipeng New Materials Technology Co., Ltd. The main building complex is centrally located, with various functional areas labeled. To the north, there is a designated '机动车位' (Motor Vehicle Parking) area. The plan also shows '水质检测井 (污水2)' (Water Quality Detection Well (Sewerage 2)) and '1F' (First Floor) markers. A compass rose is present in the top right corner. The plan includes detailed annotations for building footprints, parking spaces, and surrounding roads.


10.6






10.7





10.8



[illegible]